



Food and Agriculture Organization
of the United Nations

AGP: CP/72

**FAO SPECIFICATIONS
FAO PLANT PROTECTION PRODUCTS**

GAMMA-BHC (Emulsions)
gamma-1, 2, 3, 4, 5, 6-hexachlorocyclohexane

FOOD AND AGRICULTURE ORGANIZATION OF THE UNITED NATIONS
Rome, 1977

DISCLAIMER¹

FAO specifications are developed with the basic objective of promoting, as far as practicable, the manufacture, distribution and use of pesticides that meet basic quality requirements.

Compliance with the specifications does not constitute an endorsement or warranty of the fitness of a particular pesticide for a particular purpose, including its suitability for the control of any given pest, or its suitability for use in a particular area. Owing to the complexity of the problems involved, the suitability of pesticides for a particular purpose and the content of the labelling instructions must be decided at the national or provincial level.

Furthermore, pesticides which are manufactured to comply with these specifications are not exempted from any safety regulation or other legal or administrative provision applicable to their manufacture, sale, transportation, storage, handling, preparation and/or use.

FAO disclaims any and all liability for any injury, death, loss, damage or other prejudice of any kind that may arise as a result of, or in connection with, the manufacture, sale, transportation, storage, handling, preparation and/or use of pesticides which are found, or are claimed, to have been manufactured to comply with these specifications.

Additionally, FAO wishes to alert users to the fact that improper storage, handling, preparation and/or use of pesticides can result in either a lowering or complete loss of safety and/or efficacy.

FAO is not responsible, and does not accept any liability, for the testing of pesticides for compliance with the specifications, nor for any methods recommended and/or used for testing compliance. As a result, FAO does not in any way warrant or represent that any pesticide claimed to comply with a FAO specification actually does so.

¹ This disclaimer applies to all specifications published by FAO.

INTRODUCTION TO FAO SPECIFICATIONS DEVELOPED UNDER THE OLD PROCEDURE

Between 1975 and 2000, FAO published booklets of specifications for technical materials and related formulations of plant protection products. Revisions of, and additions to, already published specifications will be issued when necessary. However, all changes and revisions of FAO specifications are now subject to the new procedure described in the *Manual on the development and use of FAO and WHO Specifications for Plant Protection Products*, FAO Plant Production and Protection Paper No. 173, Rome 2002 (*Revised First Edition* available only on the FAO home page of the Internet at: <http://www.fao.org/pest-and-pesticide-management/en/>)

FAO specifications developed under the old procedure are based on the requirements defined in the Fourth Edition of the *Manual on the development and use of FAO specifications for plant protection products*, Plant Production and Protection Paper No. 128, Rome 1995.

This manual contained detailed definitions and other essential background information on basic procedures and technical principles adopted by the group on Pesticide Specifications of the FAO Panel of Experts on Pesticide Specifications, Registration Requirements, Application Standards and Prior Informed Consent, such as:

1. Categories of Specifications (Section 3.1 of the Manual)

FAO Tentative Specifications (Code 'S/T', formerly 'TS') are those which have been recommended by FAO as preliminary specifications and which are based on minimum requirements. The methods of analysis cited are normally supplied by the manufacturer or may already have been published or be the subject of collaborative work.

FAO Provisional Specifications [Code 'S/P', formerly ('S')] are those for which more evidence of the necessary parameters is available and where some collaborative study of the methods of analysis has been carried out.

FAO (full) Specifications (Code 'S/F', formerly 'S').

Specifications that have all necessary requirements together with CIPAC (full) methods, or other collaboratively studied (proven) methods.^{2,3}

Wherever possible, standards for apparatus and common names for pesticides are those approved by the International Organization for Standardization (ISO).

2. Expression of active ingredient content (Section 4.2.5 of the Manual)

- for solids, liquid technical materials, volatile liquids (of maximum boiling point 50°C) and viscous liquids (with minimum kinematic viscosity of $1 \times 10^3 \text{ m}^2/\text{s}$ at 20°C) the FAO Specification shall be based on expression of the content as g/kg;

- for all other liquids the active ingredient content of the product shall be declared in terms of g/kg or g/l at 20°C. If the customer requires both g/kg and g/l at 20°C, then in case of dispute the analytical results shall be calculated as g/kg.

3. Tolerance on content (Section 4.2.7 of the Manual)

A declared content of active ingredient must be included in all specifications, and one of the problems immediately arising is the level of tolerance acceptable about the nominal figure. The tolerance is influenced by (a) the reproducibility of the method of analysis, (b) the sampling error and (c) the manufacturing variance.

Allowable variations in analytical results (i.e. tolerances in content of active ingredient) with respect to specific pesticide consignments are intended to cover reasonable variations in the contents of active ingredients. For examples of such tolerances, see the table in Section 4.2.7 of the Manual.

4. Containers/packaging

FAO guidelines are in preparation.

Containers shall comply with pertinent national and international transport and safety regulations.

Technical materials, dustable powders and granules

Containers shall be suitable, clean, dry and as specified, and shall not adversely affect, or be affected by, the contents, but shall adequately protect them against external conditions.

Wettable powders

The product shall be packed in suitable, clean, dry containers as specified in the order. The container shall provide all necessary protection against compaction, atmospheric moisture, loss by vaporization and/or contamination to ensure that the product suffers no deterioration under normal transit and storage conditions.

The product shall be protected by an adequate moisture barrier. This may be a suitable bag of polyethylene or alternative means of giving equal or better protection.

Solutions and emulsifiable concentrates

Containers shall be lined, where necessary, with a suitable material, or the interior surfaces shall be treated to prevent corrosion and/or deterioration of the contents.

Additional information should be given in all specifications where particular pesticides present problems in packaging.

5. Biological information

Phytotoxicity

No test can be specified to cover the possible phytotoxicity of a formulation to all crops. When a crop is not mentioned in the instructions for use, purchasers should check with the supplier that the material is suitable, always provided that such a use is not restricted or legally forbidden.

Wetting of crops

The dilute spray should satisfactorily wet the leaves of the specified crops when used in accordance with the instructions. Test method MT 53.2, CIPAC F, p.162, may be useful.

¹ *Should national pesticide specifications developed from these approved FAO specifications deviate from them, the National Authority responsible for making such changes is requested to inform the FAO Plant Protection Service of the nature of, and the reasons for, the modifications.*

² *Methods of analysis and miscellaneous techniques referred to in these specifications have been developed and adopted by CIPAC (Collaborative International Pesticides Analytical Council Ltd.). See CIPAC Handbooks 1 (1970), 1A (1980), 1B (1983), 1C (1985), D (1988), E (1993), F (1995), G (1995), CIPAC Proceedings 1980 and 1981, obtainable from Black Bear Press Limited, King's Hedges Road, Cambridge CB4 2PQ, England. The page numbers of specific methods are given in parentheses in the specifications. Copies of methods not yet published can be obtained from the FAO Plant Protection Service.*

³ *Information on standard waters for laboratory evaluation of pesticidal formulations will be found in CIPAC Monograph 1, Standard Waters and an FAO Survey on Naturally Occurring Waters (1972), Black Bear Press Limited, King's Hedges Road, Cambridge CB4 2PQ, England.*

SUBMISSION OF DRAFT SPECIFICATIONS TO FAO

Any organization, commercial firm or interested individual is encouraged to submit relevant specifications, or proposals for revision of existing specifications, for pesticide products for consideration and possible adoption by FAO. Correspondence should be addressed to the Pesticide Management Group, Plant Production and Protection Division, FAO, Viale delle Terme di Caracalla, 00153 Rome, Italy.

General guidelines on preparing draft specifications are given in the *Manual on the development and use of FAO and WHO Specifications for Plant Protection Products*, FAO Plant Production and Protection Paper No. 173, Rome 2002 (Revised First Edition available only on the FAO home page of the Internet at: <http://www.fao.org/pest-and-pesticide-management/en/>).

Specifications which are considered suitable for further processing are assigned priorities and circulated to appropriate organizations and specialists to comment. Comments, together with other relevant information, are then reviewed in detail by the Group on Specifications of the FAO Panel of Experts on Pesticide Specifications, Registration Requirements, Application Standards and Prior Informed Consent. The drafts are converted into FAO Provisional Specifications, or full FAO Specifications.

GAMMA BHC-EMULSIONS

Lindane Emulsions

FAO Specification Code 4γ/6/S/7

.1 DESCRIPTION

The product shall consist of an emulsion based on gamma-BHC (See note 9) as the only active ingredient, together with solvents and any necessary formulants.

It shall be formulated from gamma-BCH of quality complying with the specification for “gamma-BHC Technical”(4γ/1/S/5; see FAO Specifications for Plant Protection Products: gamma-BHC (AGP:CP/34).

.2 ACTIVE INGREDIENT

.2.1 *Identity* (Method 4γ/6/m/47). (CIPAC 1C, p. 2135 – CIPAC 1C p. 1977).
It shall comply.

.2.2 *gamma-BHC* (Method 4γ/6/m/4.6 and 4.8) (CIPAC 1C, p. 2135 – CIPAC 1C p. 1977).
The gamma-BHC content shall be declared (g/l at 20°C or % w/w; See note 2) and, when determined, the content obtained shall not differ from that declared by more than $\pm 5\%$ of the declared content.

.3 IMPURITIES

.3.1 *Acidity or Alkalinity* (method 4γ/6/M/4.9; (CIPAC 1C, p. 2135 – CIPAC 1C p. 1977))
Maximum acidity: 0.05%, calculated as H₂SO₄.
Maximum alkalinity: 0.05%, calculated as NaOH.

.4 PHYSICAL PROPERTIES

.4.1 *Dilute Emulsion Stability* (Method 4γ/6/m/4.11; (CIPAC 1C, p. 2135 – CIPAC 1C p. 1977).
When the product is diluted with CIPAC Standard Water C, not more than 5 ml of cream shall be formed.

Alternatively, if the buyer requires other CIPAC Standard Waters to be used, then, this shall be specified when ordering.

.5 STORAGE STABILITY

.5.1 *Low Temperature Stability* (Method 4γ/6/m/4.10; (CIPAC 1C, p. 2135 – CIPAC 1C p. 1977).

After storage at 0°C (See note 2), there shall be no separation of free oil or solid material from the product nor more than 5 ml of cream after dilution with CIPAC Standard Water C.

Alternatively, if the buyer requires other CIPAC Standard Waters to be used, then, this shall be specified when ordering.

.5.2 *Heat Stability* (Method 4γ/6/m/4.12; (CIPAC 1C, p. 2135 – CIPAC 1C p. 1977))

After storage at $54 \pm 2^{\circ}\text{C}$ for 14 days, the product shall continue to comply with .2.2, .3.1 and .4.1.

.6 CONTAINERS

Containers shall be lined, where necessary, with a suitable material, or the interior surfaces treated to prevent corrosion and/or deterioration of the contents.

Containers shall comply with pertinent national and international transport and safety regulations.

.7 BIOLOGICAL PROPERTIES

.7.1 *Phytotoxicity*¹

At the present stage of our knowledge, no test can be specified to cover the phytotoxicity of formulations to crops.

When a crop is not mentioned in the instructions for use, purchasers should check with the supplier that the material is suitable, always provided that such a use is not restricted or legally forbidden.

.7.2¹ *Wetting of Crops* (Method 4/6/M/4.13; (CIPAC 1C, p. 2135 – CIPAC 1C p. 1977))

The dilute spray shall satisfactorily wet the leaves of the specified crops when used in accordance with the instructions.

However, owing to wide variations in crops and pests, no specific figures can be assigned to wetting of crops, but this test may prove useful.

¹ For information

NOTES

- Note 1: If the buyer requires both g/l at 20°C and % w/w, then, in case of dispute, the analytical results shall be expressed as % w/w.
- Note 2: The container label should include a warning that the product should not be stored at temperatures below 0°C.
- Note 3: In some countries, there is a legal requirement that these products shall be coloured.
- Note 4: On 5% DDT the minimum permitted pp'DDT content would be 3.50%.
- Note 5: If the dust contains a declared content of 2% BHC and 5% DDT, and 20 g of sample is used in the test, then the amount of BHC and/or DDT in the residue on the sieve should not exceed 0.21 g for .4.1.1, i.e.,

$$\frac{(0.15 \times x) \text{ weight of sample}}{100} \text{ g}$$

nor 0.08 g for .4.1.2, i.e.,

$$\frac{(0.06 \times x) \times \text{weight of sample}}{100} \text{ g}$$

- Note 6: On 30% DDT the minimum permitted pp'-DDT content would be 21.0%.
- Note 7: Because of the variation in the nature and size of the container, its destination and other factors, it is not possible to specify the thickness of the polyethylene, but as a guideline, for a container with 50 kg of product, the inner liner should be at least 0.075 mm thick.
- Note 8: This specification refers to products based on lindane which is defined as containing not less than 99% of gamma-BHC.